



MX-B455W/MX-B355W

Digital Multifunctional System

www.sharp.eu

SHARP

Be Original.

Easy-to-use

Connectivity



Scanning

Data security
and energy efficiency

Configurations



Options

Specifications

Powerful and compact – get more than you'd expect from an A4 device.

Time and space can be a luxury in a busy office. The technology you choose needs to support your productivity, making everyday processes quick and efficient.

We understand that some jobs demand the powerful performance of large workgroup MFPs. But we also know you need the benefits of a smaller footprint device. That's why we've launched the MX-B455W and MX-B355W compact A4 MFPs to bring you fast, convenient printing, copying and scanning; all the reliability and capability you expect from a larger device, but small enough to be used wherever you need.

From customised user interfaces to wireless connectivity and superior data security options, the new MX-B455W/ MX B355W offer enhanced functionality and the same great user experience you've come to expect from Sharp MFPs.

And with output speeds of 45ppm (MX-B455W) or 35ppm (MX-B355W) in black and white, you can be sure any job will be completed in no time.



Choose a compact, powerful Sharp MFP to get the flexibility and capability you require.

A better way of working.

Easy-to-use

Flexible enough to suit your needs and with an easy-to-use interface for the right result, every time.

Connectivity



Scanning

Data security and energy efficiency

Configurations



Options

Specifications

You're guaranteed an enhanced user experience with the MX-B455W and MX-B355W, thanks to the 7.0-inch colour LCD touchscreen, which can be tilted and customised to suit your way of working. And we've kept the user interface the same as other Sharp devices, so that switching to one of our new compact MFPs is as intuitive as can be.

With their space-efficient modular design these MFPs will suit any office environment, whether used as a desk top configuration or fully configured floor-standing configuration. You get both quantity and quality with the MX-B455W/MX-B355W, thanks to the standard 550 sheet paper capacity (expandable to 2,350 sheets) and the optimal finishing capabilities for professional documents.

Of course, there's more to being flexible than being economical with space and having a great user-friendly interface. Want to scan a document and save it directly in the appropriate Microsoft Office file format? No problem. It's simple to digitise, store and share essential information thanks to the on-board OCR capability, which will convert them into editable Microsoft Office files, helping save you valuable time.

How about letting visitors use the device, even though they're not connected to the corporate network? We've got that covered too; Microsoft Office documents can be printed directly from USB drives, quickly and easily.



Compact, desktop configuration.



Expandable paper capacity.



Optional inner finisher.



Easy-to-use

Connectivity ● ●

Scanning

Data security
and energy efficiency**Configurations** ● ●

Options

Specifications



Easy connectivity and flexibility.

Whether you're in the office or working remotely, you can now print and scan with ease from any location.

We understand that you don't want to restrict your working day; you need to be able to work anywhere and at any time. The MX-B455W/MX-B355W series feature NFC and QR Code capabilities, meaning you can connect via your mobile device for easy printing and scanning wherever you are.

Sharp's Open Systems Architecture allows you to integrate the MFP with network and cloud-based applications, while single sign-on allows you to access public cloud services, such as Google Drive, OneDrive, SharePoint, Microsoft Online, Box and Sharp Cloud Portal Office, directly from the MFP to increase productivity and save time.

We've also included the server-less print release function available on other Sharp devices in this compact A4 device, allowing you to securely send and store documents on the main MFP to print at another time from any networked MFP.

[Click here to learn more about flexibility](#)



Google Drive



OneDrive



SharePoint



box

CLOUD PORTAL OFFICE

Easy-to-use

Connectivity ● ●

Scanning

Data security
and energy efficiency**Configurations** ● ●

Options

Specifications



Easy connectivity and flexibility.

Whether you're in the office or working remotely, you can now print and scan with ease from any location.

We understand that you don't want to restrict your working day; you need to be able to work anywhere and at any time. The MX-B455W/MX-B355W series feature NFC and QR Code capabilities, meaning you can connect via your mobile device for easy printing and scanning wherever you are.

Sharp's Open Systems Architecture allows you to integrate the MFP with network and cloud-based applications, while single sign-on allows you to access public cloud services, such as Google Drive, OneDrive, SharePoint, Microsoft Online, Box and Sharp Cloud Portal Office, directly from the MFP to increase productivity and save time.

We've also included the server-less print release function available on other Sharp devices in this compact A4 device, allowing you to securely send and store documents on the main MFP to print at another time from any networked MFP.



Google Drive



OneDrive



SharePoint



You can make use of a USB memory stick for convenient walk-up printing and scanning.



Easy-to-use

Connectivity

Scanning

Data security
and energy efficiency

Configurations

Options

Specifications

Scan documents quickly and accurately.

When time is short you can rely on Sharp MFPs to get the job done.

The MX-B455W/MX-B355W MFPs boast black and white and colour scanning of up to 110 ipm for fast document digitisation, putting you in control of your document workflow.

And because we know that not everything you want to scan is a document, you can also quickly and accurately scan ID and business cards with ease.

The MX-B455W offers 100-sheet Duplex Single Pass Feeder, while a 50-sheet Reversing Single Pass Feeder is available with the MX-B335W; both are perfect for environments such as reception areas where scanning needs to be done without delay.



100-sheet Duplex Single Pass Feeder.



Scan ID and Business Cards.



50-sheet Reversing Single Pass Feeder.

Easy-to-use

Connectivity

Scanning

Data security and energy efficiency

Configurations

Options

Specifications

Total peace of mind.

Keep your data secure.

Data security is of utmost importance to all businesses, with regulations such as the EU's General Data Protection Regulation (GDPR) adding to the need to make compliance part of everyday operations. Thanks to the future-proof capabilities of the MX-B455W/ MX-B355W MFPs, you can rest assured that all networks and data are protected thanks to the multi-layered security Sharp provides.

Sharp technology empowers productivity and protects valuable data; you can rely on our impressive security capabilities and advanced workflows to control usage and access, log activity and erase data after use, ensuring that confidential information and intellectual property are protected whether you're copying, scanning or printing.

And for even greater protection, you can benefit from Sharp's Hard Copy Device Protection Profile* (HCD PP) standard required by government, military and legal organisations.

Energy conscious and environmentally aware

We know that environmental considerations are also important, and that's why our new MFPs allow you to fix a power on/off schedule to automatically turn the unit off at set times.

The innovative Eco Scan and Eco Recommendation functions further promote energy saving, giving you peace of mind that you're only using power when necessary.

*Once enabled some functions may not be available.
HCD PP ver.1.0 - non Common Criteria.



Easy-to-use

Connectivity

Scanning


Data security
and energy efficiency

Configurations

Options

Specifications

Configurations



Click here to view configuration examples

Easy-to-use

Connectivity



Scanning

Data security
and energy efficiency

Configurations



Options

Specifications

Configuration examples



Desktop configuration



Expandable paper capacity configuration



Fully configured with optimal
finishing capabilities

Options

Easy-to-use

Connectivity

Scanning

Data security and energy efficiency

Configurations

Options

MX-PF10

Barcode Font Kit

MX-FWX1

Internet Fax Expansion

MX-USX1/X5

Sharpdesk 1/5-License Kit

MX-US10/50/A0


Sharpdesk 10/50/100-License Kit

MX-AMX1

Application Integration Module

MX-FR59U*

Data Security Kit



Specifications

Note: When placing the MFP on the floor, Sharp recommends placing it on an MX-DS22. If you are attaching two or three MX-CS14s, an MX-DS23 is required. Certain options may not be available in some areas.

* Available at a later date.

Easy-to-use

Connectivity

Scanning

Data security
and energy efficiency

Configurations

Options

Specifications

Specifications

General
Copier
Wireless LAN
Network Scanner
Document Filing
Network Printer
Fax

Click the specification buttons for further information



SAP® Printer Vendor Solution

CITRIX®

*¹ Short-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ** HDD capacity depends on procurement and sourcing status. ** Including adjusters and protuberances *⁶ Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁹ Colour/greyscale only. *¹⁰ Storage capacity will vary depending on the type of document and the scan settings. *¹¹ Some features require option(s). *¹² Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.

Easy-to-use

Connectivity

Scanning

Data security
and energy efficiency

Configurations

Options

Specifications

Specifications

General

Copier

Wireless LAN

Network Scanner

Document Filing

Network Printer

Fax

Click the specification buttons for further information



SAP® Printer Vendor Solution

CITRIX®

*¹ Short-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ** HDD capacity depends on procurement and sourcing status. ** Including adjusters and protuberances *⁶ Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁹ Colour/greyscale only. *¹⁰ Storage capacity will vary depending on the type of document and the scan settings. *¹¹ Some features require option(s). *¹² Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.

Easy-to-use

Connectivity

Scanning

Data security
and energy efficiency

Configurations

Options

Specifications

Specifications

General
Copier
Wireless LAN
Network Scanner
Document Filing
Network Printer
Fax

Click the specification buttons for further information

Original paper size (Max)	A4
First copy time^{*6} (seconds)	
MX-B355W	5.3
MX-B455W	3.7
Continuous copies (Max)	9,999
Print Resolution (dpi)	
Scan	600 x 600, 600 x 400
Gradation levels	256
Zoom range (%)	25 – 400, (25 – 200 using RSPF/DSPF) in 1% increments
Preset copy ratios (Metric)	10 ratios (5R/5E)



^{*1} Short-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{*9} Colour/greyscale only. ^{*10} Storage capacity will vary depending on the type of document and the scan settings. ^{*11} Some features require option(s). ^{*12} Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.

Easy-to-use

Connectivity

Scanning

Data security
and energy efficiency

Configurations

Options

Specifications

Specifications

General
Copier
Wireless LAN
Network Scanner
Document Filing
Network Printer
Fax

Compliant regulation

IEEE802.11n/g/b

Access mode

Infrastructure mode, Software AP mode

Security

WEP, WPA/WPA2-mixed PSK, WPA/WPA2-mixed EAP⁷, WPA2 PSK, WPA2 EAP⁷

Click the specification buttons for further information



SAP[®] Printer Vendor Solution

CITRIX[®]

¹ Short-edge feeding. ² Only short-edge feeding can be used with A5 paper. ³ 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ⁴ HDD capacity depends on procurement and sourcing status. ⁵ Including adjusters and protuberances ⁶ Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ⁷ Not applicable to Software AP mode. ⁸ Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ⁹ Colour/greyscale only. ¹⁰ Storage capacity will vary depending on the type of document and the scan settings. ¹¹ Some features require option(s). ¹² Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.

Easy-to-use

Connectivity



Scanning

Data security
and energy efficiency

Configurations



Options

Specifications

Specifications

General

Copier

Wireless LAN

Network Scanner

Document Filing

Network Printer

Fax

Click the specification buttons for further information

Scan method

Push scan (via control panel)
Pull scan (TWAIN-compliant application)

Scan speed^{*8} (ipm)

	One-sided	Two-sided
MX-B355W	40	18
MX-B455W	70	110

Resolution (dpi) (Max)

100, 150, 200, 300, 400, 600
Push scan
75, 100, 150, 200, 300, 400, 600, 50 to 9,600 dpi via
Pull scan user setting

File formats

TIFF, PDF, PDF/A, encrypted PDF, compact PDF^{*9},
JPEG^{*9}, XPS, searchable PDF, OOXML (docx, xlsx,
pptx), text (TXT), rich text (RTF)

Scan destinations

Scan to e-mail, desktop, FTP server, network folder
(SMB), USB memory, HDD

Scanner utilities

Sharpdesk



^{*1} Short-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{*9} Colour/greyscale only. ^{*10} Storage capacity will vary depending on the type of document and the scan settings. ^{*11} Some features require option(s). ^{*12} Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.

Easy-to-use

Connectivity

Scanning

Data security
and energy efficiency

Configurations

Options

Specifications

Specifications

General
Copier
Wireless LAN
Network Scanner
Document Filing
Network Printer
Fax

Click the specification buttons for further information

Document filing capacity ^{*10}	Pages	Files
Main & custom folders	20,000	3,000
Quick file folder	10,000	1,000
Stored jobs^{*11}	Copy, print, scan, fax transmission	
Storage folders	Quick file folder, main folder, custom folder (max. 1,000)	



^{*1} Short-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{*9} Colour/greyscale only. ^{*10} Storage capacity will vary depending on the type of document and the scan settings. ^{*11} Some features require option(s). ^{*12} Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.

Easy-to-use

Connectivity



Scanning

Data security
and energy efficiency

Configurations



Options

Specifications

Specifications

General
Copier
Wireless LAN
Network Scanner
Document Filing
Network Printer
Fax

Resolution (dpi)	600 x 600, 9,600 (equivalent) x 600
Interface	USB 2.0, 10Base-T/100Base-TX/1000Base-T
Supported OS	Windows Server® 2008, 2008R2, 2012, 2012R2, 2016, Windows® 7, 8.1, 10 Mac OS X 10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12
Network protocols	TCP/IP
Printing protocols	LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FTP for downloading print files, IPP, SMB, WSD
PDL	Standard: PCL, Genuine Adobe® PostScript®3™
Available fonts	80 fonts for PCL, 139 fonts for Adobe® PostScript®3™

Click the specification buttons for further information



*¹ Short-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ** HDD capacity depends on procurement and sourcing status. ** Including adjusters and protuberances *⁶ Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁷ Not applicable to Software AP mode. *⁸ Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁹ Colour/greyscale only. *¹⁰ Storage capacity will vary depending on the type of document and the scan settings. *¹¹ Some features require option(s). *¹² Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps,JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.



Easy-to-use

Connectivity



Scanning

Data security
and energy efficiency

Configurations



Options

Specifications

Specifications

General

Copier

Wireless LAN

Network Scanner

Document Filing

Network Printer

Fax

Compression method

MH/MR/MMR/JBIG

Communication protocol

Super G3

Transmission time^{*12} (seconds)

Less than 3

Modem speed (bps)

33,600 – 2,400 with automatic fallback

Recording width

A4 – A5

Memory (GB)

1 (built-in)

Click the specification buttons for further information



^{*1} Short-edge feeding. ^{*2} Only short-edge feeding can be used with A5 paper. ^{*3} 20 seconds. when starting the MFP via the power button; 30 seconds. when starting via the main power switch. At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{*4} HDD capacity depends on procurement and sourcing status. ^{*5} Including adjusters and protuberances ^{*6} Short-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{*7} Not applicable to Software AP mode. ^{*8} Based on Sharp's A4 standard chart, using document feeder and short-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{*9} Colour/greyscale only. ^{*10} Storage capacity will vary depending on the type of document and the scan settings. ^{*11} Some features require option(s). ^{*12} Based on Sharp's standard chart with approx. 700 characters (A4 short-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation February 2018. Ref: MX-B455W/MX-B355W Job:18887. All trademarks acknowledged. E&OE.