
Productieprinters

MX-M1206




- Productieprinter voor grote volumes met snelheden tot 105 ppm en printen met een resolutie van 1.200 × 1.200 dpi
- De 300 vel DSPF (Duplex Single Pass Feeder) scant documenten met hoge snelheid, 240 ipm* (dubbelzijdig) en verwerkt zwaarder papier tot max. 220 g/m2
- Verbeterde productiviteit met keuze uit diverse papierlade-opties, inclusief afdrukken op SRA3-papierformaat, om langer ononderbroken te kunnen printen
- De Sharp Easy UI-modus op het 15,4-inch grote kleuren touchscreen zorgt voor een eenvoudige en intuïtieve bediening
- Uitzonderlijk gebruiksgemak via het bedieningspaneel dat kan worden gedraaid en gekanteld voor het eenvoudig bekijken en bewerken van opdrachten
- Uitgebreide keuze uit afwerkingsopties, waaronder GBC inline perforeren en Plockmatic inline afwerking, afdrukken op SRA3-formaat voor professionele interne documentproductie
- Geavanceerde systeem- & gegevensbescherming met toegangscontrole, inclusief de functie voor zelfherstellende firmware en whitelisting

Configuraties



Afmetingen



Opties

Basismodel

MX-MF11

MX-LC12

MX-SL10N Status Indicator

MX-KB18

MX-PX16

MX-MFX1 Multi Bypass Tray (for main machine)

MX-PE16 Fiery® Print Server Fiery Server
High performance, production class workflow solution for high volume CRDs With the MX-PE16 Fiery® Print Server, Light Production Printing Systems become powerful integrated solutions for managing office workgroups and production environments. • Deliver fast processing speed • Achieve unparalleled image quality • Offer powerful features that produce complex finished documents

Sharp MX-LC13N Large Capacity Tray (A3)
SRA3-A4R (also supports 13" x 19.2"), 2,500 sheets each (80gsm); Requires MX-RB16. Cannot be installed with MX-LC12 or MX-LCX3 N.

Printing

MX-PF10 Barcode Font Kit
Enables barcode printing

Sharp OSA

MX-AMX1 Application Integration Module

Afwerking

MX-FD10

MX-CF11

MX-RB13

MX-RB17

MX-XB50 Rail Unit (Plockmatic)

MX-TM10

MX-RB18 Curl Correction Unit

MX-PN13A Punch Module - 2 Hole
Punch module for MX-FN21/MX-FN22

MX-GB57A GBC Smart Punch Unit
Available die sets: 21 holes, Plastic Comb; 20 holes, Plastic Comb; 47 holes, Color Coil; 23 holes, Wire 2:1/Square; 23 holes, Wire 2:1/Round; 34 holes, Wire 3:1/Square; 34 holes, Wire 3:1/Round; 12 holes, VeloBind; 34 holes, PloClick; 2 holes/Round (8mm pin); 4 holes/Round (8mm pin); 2 holes/Round (6.5mm pin); 4 holes/Round (6.5mm pin); 4 holes Scandinavian; Custom die sets also available on request; Requires MX-RB13 and either MX-FN21 or MX-FN22.

MX-PN13C Punch Module - 4 Hole
Punch module for MX-FN21/MX-FN22

MX-RB16 Paper Pass Module

MX-PN13D Punch Module - 4 Hole Wide
Punch module for MX-FN21/MX-FN22

MX-FN22

MX-FN21

Sharp MX-TM50 Trimmer (for Plockmatic)

Sharp MX-FD50 Square Folder (for Plockmatic)

Sharp MX-CF50 Cover Feeder

Sharp MX-BM50 Booklet Maker (Plockmatic)

Beveiliging

MX-FR66U Data Security Kit

Specificaties

Algemeen

Motorsnelheid: A4 Zwart-wit (ppm)	120
Technologie	54
Papiergewicht: Min. (g/m²)	52
Papiergewicht: Max. (g/m²)	300
Papiercapaciteit: Standaard (vellen)	3100
Papiercapaciteit: Max. (vellen)	13500
Opwarmtijd (sec.)	200
Algemeen geheugen: Max. (GB)	6
Opslag: Std.	HDD
[MFPSpecificationHddCapStdGb]	1000
Dubbelzijdig	Std.
Stroomvoorziening: Frequentie min. (Hz)	50
Stroomvoorziening: Frequentie max. (Hz)	60
Stroomverbruik (kW)	299
Gewicht (kg)	276
Stroomvereisten: Netspanning min. (V)	220
Stroomvoorziening: Netspanning max. (V)	240

Kopieerapparaat

Origineel papierformaat: Max.	A3
Duur eerste kopie: Zwart-wit (sec.)	3,2
Elektronische sortering	Opt.
Continue kopie (Max. aantal kopieën)	9999
Scanresolutie: Zwart-wit (dpi)	600 x 600
Scanresolutie: Kleur (dpi)	600 x 600
Afdrukresolutie (dpi)	1200 x 1200
Gradatie: Zwart-wit (gelijke niveaus)	256
Zoombereik: Min. (%)	25
Zoombereik: Max. (%)	400
Vooraf ingestelde kopieerverhoudingen	10
Netwerkscanner	Push scan, Pull scan

Bestand

Bestandsarchivering	Std.
Opgeslagen taken	Kopieer, Print, Scan
Opslagmappen	Quick file, Main, Custom (Max 1000)
Vertrouwelijke opslag	Ja

Toneropbrengst

Zwart (pagina's met 6% dekking)	120000

Printer

Netwerkprinter	Std.
Resolutie (dpi)	1200 x 1200
Verbeterde resolutie (dpi)	1200 x 1200
Interface: Standaard	USB 2.0, 10Base-T, 100Base-TX, 1000Base-T
Ondersteund besturingssysteem: Standaard	Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2012R2, Windows Server 2016, Windows Server 2019, Mac OS X 10.8, Mac OS X 10.9, Mac OS X 10.10, Mac OS X 10.11, Mac OS X 10.12, Mac OS X 10.13, Mac OS X 10.14, Mac OS X 10.15, Mac OS X 11
Netwerk protocollen	TCP/IP
Afdrukprotocollen	LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, Novell Printserver application with NDS and Bindery, FPT for downloading print files, EtherTalk printing, IPP
Beschikbare lettertypen	80 PCL, 136 PostScript 3

Scanner

Scan methode	Std.
Push-scan resolutie (dpi)	100, 150, 200, 300, 400, 600
Pull-scan resolutie (dpi)	100, 150, 200, 300, 400, 600
Bestandsindelingen: Standaard	TIFF, PDF, PDF/A-1b, Encrypted PDF, Compact PDF, JPEG, XPS, Searchable PDF, Office Open XML (pptx, xlsx, docx), Text (TXT), Rich Text (RFT)
Scanbestemmingen	Desktop, FTP, Email, SMB (Netwerk map), USB-geheugen

Afwerking

Uitvoercapaciteit: Max. (vellen)	4250
Nietcapaciteit: Max. (vellen)	100
Zadelsteek	Opt.
Offset shifting	Std.
Perforator	Opt.
GBC-perforator	Opt.
Inserter	Opt.
Vouwen	Opt.

Design and specifications are subject to change without prior notice. All information was correct at time of print. Microsoft, Excel, PowerPoint, OneDrive, SharePoint, Active Directory, Windows Server, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. Google Drive, Gmail, Android, and Google Cloud Print are trademarks of Google LLC. The Google Drive trademark is used with permission from Google LLC. Box is a trademark, service mark, or registered trademark of Box, Inc. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. PCL is a registered trademark of Hewlett_x0002_Packard Company. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the US and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries. All other company names, product names and logotypes are trademarks or registered trademarks of their respective owners. ©Sharp Corporation All trademarks acknowledged. E&O. Ref: MX-M1206, 16/11/2026